



कर्णाली प्रदेश सरकार  
सामाजिक विकास मन्त्रालय  
**प्रदेश अस्पताल**  
**सुर्खेत**

फोन नं. ०८३ ५२३२००  
फ्याक्स ०८३ ५२०२६६

**स्टाफ बस खरिद सम्बन्धि सूचना, प्रकासित मिति २०७८/१२/२५**

यस अस्पताललाई देहाय बमोजिमको स्टाफबस सार्वजनिक खरिद ऐन २०६३ को दफा ८ को उपदफा (१) (क) (८) तथा सार्वजनिक खरिद नियमावली २०६४ को नियम ३१ ख बमोजिम त्यस्तो बस उत्पादन कम्पनी वा सो को आधिकारीक विक्रेताहरू विच प्रतिस्पर्धा गराउने (क्याटलग सपिड) विधिबाट खरिद गर्नु पर्ने भएकोले उक्त नियमावलीको नियम ३१ (ख) को उपनियम २ अनुसार देहाय बमोजिमको बस विक्री गर्न इच्छुक उत्पादक वा आधिकारिक विक्रेताले देहाय बमोजिमका कागजात सहित सूचना प्रकासित भएको मितिले ८ औं दिनको कार्यालय समय (दिनको ३:००बजे) भित्र स्पेसिफिकेसन, गुणस्तर, मूल्य र सुविधा सहितको विवरण (क्याटलग वा ब्रोसर) संलग्न राखी यस अस्पतालमा सिलबन्दि प्रस्ताव दर्ता गर्नु हुन सम्बन्धित उत्पादक वा आधिकारिक विक्रेतालाई जानकारीको लागि यो सूचना प्रकासित गरिएको छ । विस्तृत जानकारीको लागि यस अस्पतालमा सम्पर्क गर्न सकिनेछ ।

**प्रस्तावदाताले पेश गर्नु पर्ने आवश्यक कागजातहरू:**

- नवीकरण गरेको फर्म वा कम्पनी दर्ता प्रमाणपत्रको प्रतिलिपी ।
- मूल्य अभिवृद्धि कर (VAT) दर्ता प्रमाण पत्रको प्रतिलिपी
- आ.व. ०७७/०७८ को करचुक्ता प्रमाण पत्रको प्रतिलिपी ।
- खरिद कारवाहिमा नपरेको स्व:घोषणा पत्र ।
- Technical Specification प्रमाणित गर्ने रंगिन ब्रोसर/Catalogue
- मूल्य खुल्ने प्रमाणित कागजात (पत्रिकामा प्रकासित भएको वा कम्पनीको लेटरप्याडमा आधिकारिक व्यक्तिले सहिछाप गरी प्रमाणित गरेको कागजात)।
- Warranty or Guarantee सम्बन्धि कागजात ।
- अस्पताललाई सम्बोधन गरिएको Manufacturer's Authorization Letter.
- अस्पतालको web site, [www.provincehospital.karnali.gov.np](http://www.provincehospital.karnali.gov.np) मा राखिएको Technical Specification डाउनलोड गरि भरेर सहिछाप सहित पेश गर्नु पर्नेछ ।

**स्टाफ बसको विवरण**

Description	General Specification
Staff Bus. No.1.	Right Hand Drive model STAFF BUS, suitable for driving in Nepal at an altitude up to 2500 meter, Seating capacity for at least 35 persons including driver with comfort seats, Seating capacity of at least 34+D with 2x2 seating layout. Maximum rated power output not less than 120HP at governed RPM with torque min. 400 NM @ governed RPM, The Emission Standard of the vehicle should be "Vehicle Mass Emission Standard" of Nepal, Transmission; Manual shift at least 5 forward and one reverse, Hydraulic operated main door should be available and door space should be Min. 1000 mm. Ground Clearance Minimum 210 mm.

अस्पताल निर्देशक

## TECHNICAL SPECIFICATIONS OF STAFF BUS

S.N.	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1	General	<b>Right Hand Drive model STAFF BUS</b> , suitable for driving in Nepal at an altitude up to 2500 meter and in ambient temperature -5 to 50 degree centigrade. <b>Gross Vehicle Weight of the Vehicle shall not be less than 8000 kg. Seating capacity for at least 35 persons including driver with comfort seats.</b>	Make: Model: Mfg. Year: GVW: Country of Origin:
2	Engine	<b>Maximum rated power output not less than 120HP at governed RPM with torque min. 400 NM @ governed RPM</b> , engine fully equipped with accessories for efficient full load operation of the vehicle at operating conditions, cold starting device, heavy duty fuel filter.	Make: Displacement: Power output: Torque: No. of cylinder:
3	Seating Capacity	<b>Seating capacity of at least 34+D with 2x2 seating layout.</b>	
4	Emission Standard	The Emission Standard of the vehicle should be "Vehicle Mass Emission Standard" of Nepal Which is to be certified by Department of Transport Management, Nepal	
5	Gauges	To include water temperature, fuel, oil pressure, transmission gauge etc. as necessary for efficient operation and maintenance, etc.	
6	Transmission	<b>Manual shift at least 5 forward and one reverse</b>	
7	Suspension	Semi- elliptical leaf at front and rear suspension. Shock absorbers at front and rear or any advanced type	
8	Tyres	Standard size	
9	Clutch	<b>Dry Friction, Single Plate.</b>	
10	Turning Radius	<b>Not more than 9.5 m</b>	
11	Gradeability	<b>Min. 20%</b>	
12	Steering	<b>Power steering</b>	
13	Fuel Capacity	<b>Min100 Liters</b>	
14	Brakes	<b>Dual circuit full air S-cam brake</b>	
15	Cab	All metallic cab with insulated roof, front wipers, A door with glass windows on doors, through ventilation, comfortable seats. Floor mats, rear view mirror and two side view mirrors.	
16	Bus Door	<b>Hydraulic operated main door should be available and door space should be Min. 1000 mm for easy entrance and exit to passenger.</b>	
17	Chassis and frame	Steel, heavy duty suitable for rough road conditions	

18	Essential accessories	a. Head light, tail and rear light, reversing light, turn signals. b. Cabin lights. c. Speedometer/ odometer d. One spare wheel with tyre and tube. e. Suitable Jack & Handle f. Seat belt for driver g. Radio MM/FM	
19	Instructions	<b>All signs and instructions in the vehicle shall be in English.</b>	
20	Manuals	One Copy of the Operator's and Owner's instructions and maintenance manual in English shall be supplied with the vehicle.	
21	Tools	A set of tools as required for general maintenance shall be supplied.	
22	Proven Performance	The bidder shall provide the manufacturer's date of the performance of the unit to include the fuel consumption performance curve of the engine.	
23	Ground Clearance	Minimum 210 mm	
23	Color	Standard color	
24	Warranty	Manufacturer shall provide a <b>minimum of One-year warranty after acceptance.</b>	
25	Initial Service	The supplier shall provide with the equipment all the necessary filters and spare parts required or the first services after the equipment has been Commissioned and accepted	
27	Delivery	<b>Bus shall be delivered to Karnali Province Hospital, Birendranagar Surkhet.</b>	

Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offered.

Name of Supplier:

Address:

Bidder's Signature.....

Date.....

**Stamp:**